

SAPPG Upload to SA Health Website and Practice Guidelines Based App Summary

Date uploaded 17/04/2024

Title of Document (previous title if applicable)	Revised or New	Summary of key points / changes	Risk management concerns +/- budget implications
<p>Postpartum Haemorrhage</p> <p>Note that the following PPGs have been merged into the PPH PPG removed from circulation:</p> <ul style="list-style-type: none"> Ergot derivatives Prostaglandin analogues Secondary PPH Intrauterine balloon tamponade Oxytocin prophylaxis for third stage management and PPH 	<p>Revised (version 6)</p>	<p>This PPG has been reviewed in line with current international guidelines and latest research recommendations for the management of PPH.</p> <p>Key points:</p> <ul style="list-style-type: none"> Use of Carbetocin for active management of third stage of labour has been added to be used in the criteria of: <ul style="list-style-type: none"> 33-ULIVNFWRUVDQG RUUSHVIRQFH \$GLWLRQ of tranexamic acid as part of first line PPH management medication Addition of Carboprost as part of second line PPH management medication New primary PPH management algorithm that includes tranexamic acid and carboprost. <ul style="list-style-type: none"> (xternal link for larger, printable flowchart – access via the link at the bottom of Page 2 of Print as needed. Secondary PPH management flowchart updated with improved readability. All blood loss must be measured (e.g., weighing soiled linen/pads). <ul style="list-style-type: none"> Previous records maintained to be released as supported by law. Quality evidence 45.258 -11.404 Trw (timation no lo)rrTw 6 Risk factors for PPH table updated. PPH record form updated to reflect new PPH management flowchart. Suggested citation added (New) Appendices updated. 	<p>Distribution of information to all</p>